





Product Number	"A" Dim.	"B" Spaces	No. of Brgs.
SG-B-E-C-1.33-3.67	3.67in [93.1mm]	2	3
SG-B-E-C-1.33-4.92	4.92in [124.9mm]	3	4
SG-B-E-C-1.33-6.17	6.17in [156.6mm]	4	5
SG-B-E-C-1.33-7.42	7.42in [188.4mm]	5	6



Product Number	"A" Spaces	No. of Holes
SG-B-E-C-1.33-3.67	2	3
SG-B-E-C-1.33-4.92	3	4
SG-B-E-C-1.33-6.17	4	5
SG-B-E-C-1.33-7.42	5	6







DO NOT SCALE DRAWING

REV 2

Stock Guide-SG-B-E-C-1.33-Machining

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

STANDARD LIFTERS INC



Product Number	"A" Dim.	"B" Dim.
SG-B-E-O-1.33-2.42	2.42in [61.4mm]	1.25in [31.75mm]
SG-B-E-O-1.33-3.67	3.67in [93.1mm]	2.500in [63.50mm]
SG-B-E-O-1.33-4.92	4.92in [124.9mm]	3.75in [95.25mm]
SG-B-E-O-1.33-6.17	6.17in [156.6mm]	5.000in [127mm]
SG-B-E-O-1.33-7.42	7.42in [188.4mm]	6.250in [158.75mm]
SG-B-E-O-1.33-8.67	8.67in [220.1mm]	7.500in [190.5mm]

DO NOT SCALE DRAWING


REV 1

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-E-O-1.33



STANDARD LIFTERS INC

Product Number	"A" Dim.
SG-B-E-O-1.33-2.42	1.250in [31.75mm]
SG-B-E-O-1.33-3.67	2.500in [63.50mm]
SG-B-E-O-1.33-4.92	3.750in [95.25mm]
SG-B-E-O-1.33-6.17	5.000in [127mm]
SG-B-E-O-1.33-7.42	6.250in [158.75mm]
SG-B-E-O-1.33-8.67	7.500in [190.5mm]



DO NOT SCALE DRAWING	REV 2	Stock Guide-SG-B-E-O-1.33-Machining
This product may be covered by one or more patents or patent applications. See http://www.standardlifters.com/patents.html for details.		STANDARD LIFTERS INC

Product Number	"A" Dim.	"B" Spaces	No. of Brgs.
SG-B-E-S-1.33-6.17	6.17in [15.6mm]	2	3
SG-B-E-S-1.33-8.67	8.67in [220.1mm]	3	4



DO NOT SCALE DRAWING


REV **1**

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.





Stock Guide-SG-B-E-S-1.33

STANDARD LIFTERS INC

Product Number	"A" Spaces	No. of Holes
SG-B-E-S-1.33-6.17	2	3
SG-B-E-S-1.33-8.67	3	4



DO NOT SCALE DRAWING	REV 2	Stock Guide-SG-B-E-S-1.33-Machining
This product may be covered by one or more patents or patent applications. See http://www.standardlifters.com/patents.html for details.		



Product Number	"A" Dim.	"B" Dim.
SG-S-E-H-1.33-3.67	3.67in [93.1mm]	2.500in [63.50mm]
SG-S-E-H-1.33-4.92	4.92in [124.9mm]	3.750in [95.25mm]
SG-S-E-H-1.33-6.17	6.17in [156.6mm]	5.000in [127mm]
SG-S-E-H-1.33-7.42	7.42in [188.4mm]	6.250in [158.75mm]
SG-S-E-H-1.33-8.67	8.67in [220.1mm]	7.500in [190.5mm]

DO NOT SCALE DRAWING


REV 1

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-S-E-H-1.33

STANDARD LIFTERS INC

Product Number	"A" Dim.
SG-S-E-H-1.33-3.67	2.500in [63.50mm]
SG-S-E-H-1.33-4.92	3.750in [95.25mm]
SG-S-E-H-1.33-6.17	5.000in [127mm]
SG-S-E-H-1.33-7.42	6.250in [158.75mm]
SG-S-E-H-1.33-8.67	7.500in [190.5mm]



DO NOT SCALE DRAWING




REV 2

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-S-E-H-1.33-Machining

STANDARD LIFTERS INC


Product Number	"A" Dim.	"B" Spaces	No. of Brgs.
SG-B-E-C-1.65-4.42	4.42in [112.2mm]	2	3
SG-B-E-C-1.65-5.92	5.92in [150.3mm]	3	4
SG-B-E-C-1.65-7.42	7.42in [188.4mm]	4	5
SG-B-E-C-1.65-8.92	8.92in [226.5mm]	5	6






DO NOT SCALE DRAWING REV 1
 This product may be covered by one or more patents or
 patent applications.
 See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-E-C-1.65
STANDARD LIFTERS INC


Product Number	"A" Spaces	No. of Holes
SG-B-E-C-1.65-4.42	2	3
SG-B-E-C-1.65-5.92	3	4
SG-B-E-C-1.65-7.42	4	5
SG-B-E-C-1.65-8.92	5	6



Product Number	"A" Dim.	"B" Dim.
SG-B-E-O-1.65-2.92	2.92in [74.1mm]	1.500in [38.1mm]
SG-B-E-O-1.65-4.42	4.42in [112.2mm]	3.000in [76.2mm]
SG-B-E-O-1.65-5.92	5.92in [150.3mm]	4.500in [114.3mm]
SG-B-E-O-1.65-7.42	7.42in [188.4mm]	6.000in [152.4mm]
SG-B-E-O-1.65-8.92	8.92in [226.5mm]	7.500in [190.5mm]
SG-B-E-O-1.65-10.42	10.42in [264.6mm]	9.000in [228.6mm]
SG-B-E-O-1.65-13.42	13.42in [340.8mm]	12.000in [304.8mm]
SG-B-E-O-1.65-16.42	16.42in [417mm]	15.000in [381mm]




Product Number	"A" Dim.
SG-B-E-O-1.65-2.92	1.500in [38.1mm]
SG-B-E-O-1.65-4.42	3.000in [76.2mm]
SG-B-E-O-1.65-5.92	4.500in [114.3mm]
SG-B-E-O-1.65-7.42	6.000in [152.4mm]
SG-B-E-O-1.65-8.92	7.500in [190.5mm]
SG-B-E-O-1.65-10.42	9.000in [228.6mm]
SG-B-E-O-1.65-13.42	12.000in [304.8mm]
SG-B-E-O-1.65-16.42	15.000in [381mm]







DO NOT SCALE DRAWING	REV 2	Stock Guide-SG-B-E-O-1.65-Machining
This product may be covered by one or more patents or patent applications. See http://www.standardlifters.com/patents.html for details.		

Product Number	"A" Spaces	No. of Holes
SG-B-E-S-1.65-7.42	2	3
SG-B-E-S-1.65-10.42	3	4
SG-B-E-S-1.65-13.42	4	5
SG-B-E-S-1.65-16.42	5	6



Product Number	"A" Dim.	"B" Dim.
SG-S-E-H-1.65-4.42	4.42in [112.2mm]	3.000in [76.2mm]
SG-S-E-H-1.65-5.92	5.92in [150.3mm]	4.500in [114.3mm]
SG-S-E-H-1.65-7.42	7.42in [188.4mm]	6.000in [152.4mm]
SG-S-E-H-1.65-8.92	8.92in [226.5mm]	7.500in [190.5mm]
SG-S-E-H-1.65-10.42	10.42in [264.6mm]	9.000in [228.6mm]
SG-S-E-H-1.65-13.42	13.42in [340.8mm]	12.000in [304.8mm]



DO NOT SCALE DRAWING


REV 1

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-S-E-H-1.65

STANDARD LIFTERS INC

Product Number	"A" Dim.
SG-S-E-H-1.65-4.42	3.000in [76.2mm]
SG-S-E-H-1.65-5.92	4.500in [114.3mm]
SG-S-E-H-1.65-7.42	6.000in [152.4mm]
SG-S-E-H-1.65-8.92	7.500in [190.5mm]
SG-S-E-H-1.65-10.42	9.000in [228.6mm]
SG-S-E-H-1.65-13.42	12.000in [304.8mm]



DO NOT SCALE DRAWING





REV 2

Stock Guide-SG-S-E-H-1.65-Machining

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

STANDARD LIFTERS INC

Product Number	"A" Dim.	"B" Spaces	No. of Brgs.
SG-B-E-C-1.96-5.17	5.17in [131.2mm]	2	3
SG-B-E-C-1.96-6.92	6.92in [175.7mm]	3	4
SG-B-E-C-1.96-8.67	8.67in [220.1mm]	4	5
SG-B-E-C-1.96-10.42	10.42in [264.6mm]	5	6



Retracted Stock Guide Cap

DO NOT SCALE DRAWING


REV 1

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-E-C-1.96

STANDARD LIFTERS INC

Product Number	"A" Spaces	No. of Holes
SG-B-E-C-1.96-5.17	2	3
SG-B-E-C-1.96-6.92	3	4
SG-B-E-C-1.96-8.67	4	5
SG-B-E-C-1.96-10.42	5	6




DO NOT SCALE DRAWING

REV 2




This product may be covered by one or more patents or
patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-E-C-1.96-Machining

STANDARD LIFTERS INC



Product Number	"A" Dim.	"B" Dim.
SG-B-E-O-1.96-3.42	3.42in [86.8mm]	1.750in [44.45mm]
SG-B-E-O-1.96-5.17	5.17in [131.2mm]	3.500in [88.9mm]
SG-B-E-O-1.96-6.92	6.92in [175.7mm]	5.250in [133.35mm]
SG-B-E-O-1.96-8.67	8.67in [220.1mm]	7.000in [177.8mm]
SG-B-E-O-1.96-10.42	10.42in [264.6mm]	8.750in [222.25mm]
SG-B-E-O-1.96-12.17	12.17in [309mm]	10.500in [266.8mm]
SG-B-E-O-1.96-15.67	15.67in [397.9mm]	14.000in [355.6mm]
SG-B-E-O-1.96-19.17	19.17in [486.8mm]	17.500in [444.5mm]



Retracted Stock Guide Cap

DO NOT SCALE DRAWING


REV 1

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-E-O-1.96

STANDARD LIFTERS INC

Product Number	"A" Dim.
SG-B-E-O-1.96-3.42	1.750in [44.45mm]
SG-B-E-O-1.96-5.17	3.500in [88.9mm]
SG-B-E-O-1.96-6.92	5.250in [133.35mm]
SG-B-E-O-1.96-8.67	7.000in [177.8mm]
SG-B-E-O-1.96-10.42	8.750in [222.25mm]
SG-B-E-O-1.96-12.17	10.500in [266.8mm]
SG-B-E-O-1.96-15.67	14.000in [355.6mm]
SG-B-E-O-1.96-19.17	17.500in [444.5mm]



DO NOT SCALE DRAWING



REV 2

This product may be covered by one or more patents or
 patent applications.
 See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-E-O-1.96-Machining

STANDARD LIFTERS INC

Product Number	"A" Dim.	"B" Spaces	No. of Brgs.
SG-B-E-S-1.96-8.67	8.67in [220.1mm]	2	3
SG-B-E-S-1.96-12.17	12.17in [309mm]	3	4
SG-B-E-S-1.96-15.67	15.67in [397.9mm]	4	5
SG-B-E-S-1.96-19.17	19.17in [486.8mm]	5	6



DO NOT SCALE DRAWING


REV 1

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-E-S-1.96

STANDARD LIFTERS INC

Product Number	"A" Spaces	No. of Holes
SG-B-E-S-1.96-8.67	2	3
SG-B-E-S-1.96-12.17	3	4
SG-B-E-S-1.96-15.67	4	5
SG-B-E-S-1.96-19.17	5	6



DO NOT SCALE DRAWING





REV 2

This product may be covered by one or more patents or
patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-E-S-1.96-Machining

STANDARD LIFTERS INC

Product Number	"A" Dim.	"B" Dim.
SG-S-E-H-1.96-5.17	5.17in [131.2mm]	3.500in [88.9mm]
SG-S-E-H-1.96-6.92	6.92in [175.7mm]	5.250in [133.35mm]
SG-S-E-H-1.96-8.67	8.67in [220.1mm]	7.000in [177.8mm]
SG-S-E-H-1.96-10.42	10.42in [264.6mm]	8.750in [222.25mm]
SG-S-E-H-1.96-12.17	12.17in [309mm]	10.500in [266.8mm]
SG-S-E-H-1.96-15.67	15.67in [397.9mm]	14.000in [355.6mm]




Retracted Stock Guide Cap

DO NOT SCALE DRAWING REV 1
 This product may be covered by one or more patents or patent applications.
 See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-S-E-H-1.96
STANDARD LIFTERS INC

Product Number	"A" Dim.
SG-S-E-H-1.96-5.17	3.500in [88.9mm]
SG-S-E-H-1.96-6.92	5.250in [133.35mm]
SG-S-E-H-1.96-8.67	7.000in [177.8mm]
SG-S-E-H-1.96-10.42	8.750in [222.25mm]
SG-S-E-H-1.96-12.17	10.500in [266.8mm]
SG-S-E-H-1.96-15.67	14.000in [355.6mm]






DO NOT SCALE DRAWING REV 2

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-S-E-H-1.96-Machining

STANDARD LIFTERS INC

Product Number	"A" Dim.	"B" Spaces	No. of Brgs.
SG-B-M-C-34-91	91mm [3.58in]	2	3
SG-B-M-C-34-122	122mm [4.80in]	3	4
SG-B-M-C-34-153	153mm [6.02in]	4	5
SG-B-M-C-34-184	184mm [7.24in]	5	6



DO NOT SCALE DRAWING


REV 1

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-M-C-34

STANDARD LIFTERS INC

Product Number	"A" Spaces	No. of Holes
SG-B-M-C-34-91	2	3
SG-B-M-C-34-122	3	4
SG-B-M-C-34-153	4	5
SG-B-M-C-34-184	5	6






DO NOT SCALE DRAWING

REV 2

This product may be covered by one or more patents or
patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-M-C-34-Machining

STANDARD LIFTERS INC



Product Number	"A" Dim.	"B" Dim.
SG-B-M-O-34-60	60mm [2.36in]	31mm [1.220in]
SG-B-M-O-34-91	91mm [3.58in]	62mm [2.441in]
SG-B-M-O-34-122	122mm [4.80in]	93mm [3.661in]
SG-B-M-O-34-153	153mm [6.02in]	124mm [4.882in]
SG-B-M-O-34-184	184mm [7.24in]	155mm [6.102in]
SG-B-M-O-34-215	215mm [8.46in]	186mm [7.323in]

DO NOT SCALE DRAWING


REV 1

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-M-O-34

STANDARD LIFTERS INC

Product Number	"A" Dim.
SG-B-M-O-34-60	31mm [1.220in]
SG-B-M-O-34-91	62mm [2.441in]
SG-B-M-O-34-122	93mm [3.661in]
SG-B-M-O-34-153	124mm [4.882in]
SG-B-M-O-34-184	155mm 6.102in]
SG-B-M-O-34-215	186mm [7.323in]



DO NOT SCALE DRAWING





REV 2

This product may be covered by one or more patents or patent applications.
 See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-M-O-34-Machining

STANDARD LIFTERS INC

Product Number	"A" Dim.	"B" Spaces	No. of Brgs.
SG-B-M-S-34-153	153mm [6.02in]	2	3
SG-B-M-S-34-215	215mm [8.46in]	3	4



Retracted Stock Guide Cap

DO NOT SCALE DRAWING


REV 1

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-M-S-34

STANDARD LIFTERS INC

Product Number	"A" Spaces	No. of Holes
SG-B-M-S-34-153	2	3
SG-B-M-S-34-215	3	4




DO NOT SCALE DRAWING

REV 2


This product may be covered by one or more patents or
patent applications.
See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-M-S-34-Machining

STANDARD LIFTERS INC



Product Number	"A" Dim.	"B" Dim.
SG-S-M-H-34-91	91mm [3.58in]	62mm [2.441in]
SG-S-M-H-34-122	122mm [4.80in]	93mm [3.661in]
SG-S-M-H-34-153	153mm [6.02in]	124mm [4.882in]
SG-S-M-H-34-184	184mm [7.24in]	155mm [6.102in]
SG-S-M-H-34-215	215mm [8.46in]	186mm [7.323in]




DO NOT SCALE DRAWING REV 1

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.




Stock Guide-SG-S-M-H-34

STANDARD LIFTERS INC


Product Number	"A" Dim.
SG-S-M-H-34-91	62mm [2.441in]
SG-S-M-H-34-122	93mm [3.661in]
SG-S-M-H-34-153	124mm [4.882in]
SG-S-M-H-34-184	155mm 6.102in]
SG-S-M-H-34-215	186mm [7.323in]







Product Number	"A" Dim.	"B" Spaces	No. of Brgs.
SG-B-M-C-42-112	112mm [4.41in]	2	3
SG-B-M-C-42-150	150mm [5.91in]	3	4
SG-B-M-C-42-188	188mm [7.40in]	4	5
SG-B-M-C-42-226	226mm [8.90in]	5	6



Product Number	"A" Spaces	No. of Holes
SG-B-M-C-42-112	2	3
SG-B-M-C-42-150	3	4
SG-B-M-C-42-188	4	5
SG-B-M-C-42-226	5	6





Product Number	"A" Dim.	"B" Dim.
SG-B-M-O-42-74	74mm [2.91in]	38mm [1.496in]
SG-B-M-O-42-112	112mm [4.41in]	76mm [2.992in]
SG-B-M-O-42-150	150mm [5.91in]	114mm [4.488in]
SG-B-M-O-42-188	188mm [7.40in]	152mm [5.984in]
SG-B-M-O-42-226	226mm [8.90in]	190mm [7.480in]
SG-B-M-O-42-264	264mm [10.39in]	228mm [8.976in]
SG-B-M-O-42-340	340mm [13.39in]	304mm [11.969in]
SG-B-M-O-42-416	416mm [16.38in]	380mm [14.961in]

DO NOT SCALE DRAWING


REV 1

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.



Stock Guide-SG-B-M-O-42

STANDARD LIFTERS INC

Product Number	"A" Dim.
SG-B-M-O-42-74	38mm [1.496in]
SG-B-M-O-42-112	76mm [2.992in]
SG-B-M-O-42-150	114mm [4.488in]
SG-B-M-O-42-188	152mm [5.984in]
SG-B-M-O-42-226	190mm [7.480in]
SG-B-M-O-42-264	228mm [8.976in]
SG-B-M-O-42-340	304mm [11.969in]
SG-B-M-O-42-416	380mm [14.961in]




Product Number	"A" Dim.	"B" Spaces	No. of Brgs.
SG-B-M-S-42-188	188mm [7.40in]	2	3
SG-B-M-S-42-264	264mm [10.39in]	3	4
SG-B-M-S-42-340	340mm [13.39in]	4	5
SG-B-M-S-42-416	416mm [16.38in]	5	6







DO NOT SCALE DRAWING REV 1
 This product may be covered by one or more patents or
 patent applications.
 See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-M-S-42
STANDARD LIFTERS INC

Product Number	"A" Spaces	No. of Holes
SG-B-M-S-42-188	2	3
SG-B-M-S-42-264	3	4
SG-B-M-S-42-340	4	5
SG-B-M-S-42-416	5	6





Product Number	"A" Dim.	"B" Dim.
SG-S-M-H-42-112	112mm [4.41in]	76mm [2.992in]
SG-S-M-H-42-150	150mm [5.91in]	114mm [4.488in]
SG-S-M-H-42-188	188mm [7.40in]	152mm [5.984in]
SG-S-M-H-42-226	226mm [8.90in]	190mm [7.480in]
SG-S-M-H-42-264	264mm [10.39in]	228mm [8.976in]
SG-S-M-H-42-340	340mm [13.39in]	304mm [11.969in]

DO NOT SCALE DRAWING


REV 1

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.





Stock Guide-SG-S-M-H-42

STANDARD LIFTERS INC

Product Number	"A" Dim.
SG-S-M-H-42-112	76mm [2.992in]
SG-S-M-H-42-150	114mm [4.488in]
SG-S-M-H-42-188	152mm [5.984in]
SG-S-M-H-42-226	190mm [7.480in]
SG-S-M-H-42-264	228mm [8.976in]
SG-S-M-H-42-340	304mm [11.969in]




Product Number	"A" Dim.	"B" Spaces	No. of Brgs.
SG-B-M-C-50.5-133	133mm [5.24in]	2	3
SG-B-M-C-50.5-178	178mm [7.01in]	3	4
SG-B-M-C-50.5-223	223mm [8.78in]	4	5
SG-B-M-C-50.5-268	268mm [10.55in]	5	6



DO NOT SCALE DRAWING REV 1
 This product may be covered by one or more patents or
 patent applications.
 See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-M-C-50.5
STANDARD LIFTERS INC

Product Number	"A" Spaces	No. of Holes
SG-B-M-C-50.5-133	2	3
SG-B-M-C-50.5-178	3	4
SG-B-M-C-50.5-223	4	5
SG-B-M-C-50.5-268	5	6





DO NOT SCALE DRAWING

REV 2


Stock Guide-SG-B-M-C-50.5-Machining

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.


STANDARD LIFTERS INC



STANDARD LIFTERS INC



Ream Drill (Ref. $\phi 19.84\text{mm}$ [.781in])
 Tap Drill (Ref. $\phi 14.0\text{mm}$ [.551in])
 $\phi 20.000\text{mm}$ [.7874in] Ream
 M16 X 2 Tap



19.05mm Ream Drill Depth
 [.750in] *Reference to Drill Point
 118° - 25mm [.985in] Dp.
 135° - 23.2mm [.912in] Dp.
 140° - 22.7mm [.892in] Dp.

Product Number	"A" Dim.
SG-B-M-O-50.5-88	45mm [1.772in]
SG-B-M-O-50.5-133	90mm [3.543in]
SG-B-M-O-50.5-178	135mm [5.315in]
SG-B-M-O-50.5-223	180mm [7.087in]
SG-B-M-O-50.5-268	225mm [8.858in]
SG-B-M-O-50.5-313	270mm [10.630in]
SG-B-M-O-50.5-403	360mm [14.173in]
SG-B-M-O-50.5-493	450mm [17.717in]

DO NOT SCALE DRAWING


REV 2

This product may be covered by one or more patents or
 patent applications.
 See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-B-M-O-50.5-Machining

STANDARD LIFTERS INC

Product Number	"A" Spaces	No. of Holes
SG-B-M-S-50.5-223	2	3
SG-B-M-S-50.5-313	3	4
SG-B-M-S-50.5-403	4	5
SG-B-M-S-50.5-493	5	6







DO NOT SCALE DRAWING

REV 2

Stock Guide-SG-B-M-S-50.5-Machining

This product may be covered by one or more patents or patent applications.
See <http://www.standardlifters.com/patents.html> for details.

STANDARD LIFTERS INC



Product Number	"A" Dim.	"B" Dim.
SG-S-M-H-50.5-133	133mm [5.24in]	90mm [3.543in]
SG-S-M-H-50.5-178	178mm [7.01in]	135mm [5.315in]
SG-S-M-H-50.5-223	223mm [8.78in]	180mm [7.087in]
SG-S-M-H-50.5-268	268mm [10.55in]	225mm [8.858in]
SG-S-M-H-50.5-313	313mm [12.32in]	270mm [10.630in]
SG-S-M-H-50.5-403	403mm [15.87in]	360mm [14.173in]

DO NOT SCALE DRAWING


REV 1

This product may be covered by one or more patents or patent applications.
 See <http://www.standardlifters.com/patents.html> for details.


Stock Guide-SG-S-M-H-50.5

STANDARD LIFTERS INC

Product Number	"A" Dim.
SG-S-M-H-50.5-133	90mm [3.543in]
SG-S-M-H-50.5-178	135mm [5.315in]
SG-S-M-H-50.5-223	180mm [7.087in]
SG-S-M-H-50.5-268	225mm [8.858in]
SG-S-M-H-50.5-313	270mm [10.630in]
SG-S-M-H-50.5-403	360mm [14.173in]



Ream Drill (Ref. $\varnothing 19.84\text{mm}$ [.781in])
 Tap Drill (Ref. $\varnothing 14.0\text{mm}$ [.551in])
 $\varnothing 20.000\text{mm}$ [.7874in] Ream
 M16 X 2 Tap



19.05mm Ream Drill Depth
 [.750in] *Reference to Drill Point
 118° - 25mm [.985in] Dp.
 135° - 23.2mm [.912in] Dp.
 140° - 22.7mm [.892in] Dp.

DO NOT SCALE DRAWING

REV 2

This product may be covered by one or more patents or
 patent applications.
 See <http://www.standardlifters.com/patents.html> for details.

Stock Guide-SG-S-M-H-50.5-Machining

STANDARD LIFTERS INC